

INTRODUCTION**1. GENERAL DESCRIPTION**

Model No / Series
NL-601UH UHF Mobile Whip Antenna

1.1 SPECIFICATION

Parameter	Description
Frequency Band	380-400 MHz
Antenna Gain	3.0 dBi
Nominal Impedance	50 ohm
Wave	5/8 λ
V.S.W.R	$\leq 1.5:1$
Bandwidth	20MHz at SWR 2.0:1
Max Power Rating	200 Watts
Polarization	Vertical
Connector Type	PL-259
Antenna Length	705 \pm 2mm
Antenna Color	Black
Operating Temperature Range	-30°C~+85°C


REUEX INDUSTRIAL CO., LTD. 名古屋通信股份有限公司


33441 桃園縣八德市力行街 41 號

NO.41 LI HSIN ST. PATEH CITY, TAOYUAN COUNTY, 33441 TAIWAN R.O.C.

TEL: +886-3-3644980 FAX: +886-3-3622014 EMAIL: reuex@ms39.hinet.net

Web: <http://www.nagoya.com.tw>





REUEX INDUSTRIAL CO., LTD. 名古屋通信股份有限公司
33441 桃園縣八德市力行街 41 號
NO.41 LI HSIN ST. PATEH CITY, TAOYUAN COUNTY, 33441 TAIWAN R.O.C.
TEL: +886-3-3644980 FAX: +886-3-3622014 EMAIL: reuex@ms39.hinet.net
Web: <http://www.nagoya.com.tw>